


# WILSON MALO

DEADWEIGHT GROUP  
6000 dwt





# WILSON MALO

If not otherwise specified :  
Dist/Dim in meters  
Weights in m.tons

All details given in good faith without guarantee

DWT GROUP      6000  
IMO NO          7707839  
CALL SIGN      P3ZB4  
BUILD          1978  
FLAG            Cyprus

Builders ..... Gotaverke, Gothenburg  
Classification ..... GL / +100 A5 MC AUT  
Length oa ..... 105.64  
Breadth mld ..... 14.90  
Depth mld ..... 9.00  
Draft summer ..... 6.85  
Deadweight summer draft ..... 6350  
Draft winter ..... 6.70  
Deadweight winter draft ..... 6157  
Gross tonnage ..... 4061  
Net tonnage ..... 2510  
Immersion(load draft) TPC ..... 13.90  
Mean draft of ship in heavy ballast ..... 3.60  
Distance from forward end of No.1 Hatch to aft end of last hatch ..... 68.80  
Hatch type ..... Mac Gregor  
Container (TEU) capacity Hold / Deck ..... - / -

### Hatch details:

- a : Distance from waterline fully ballasted to top of hatch coamings  
b : Distance from waterline fully loaded to top of hatch coamings  
c : Distance from tank top to top of hatch coamings  
d : Max permissible loading on hatch covers  
e : Distance from ship's rail to inside hatch coamings  
f : Height of hatch coamings  
g : Hatch opening  
h : No. of Loadingholes on hatchcovers X diameter in mm

### Remarks :

- Fesi fitted for packaged cargo only.  
2 Strongbeams each hold, placed as follows:  
In hold #1, at half hold distance, lowest 3.90m above tanktop, highest 6.80m above tanktop.  
In hold #2, 12.50m from aft bulkhead, heights as in hold #1.

Max permissible load on deck, mt/sqm ..... -  
Max permissible load on tanktop, mt/sqm ..... 10.00  
Max air draft - 1 ..... 22.00  
Max air draft - 2 ..... -  
Distance from keel to top antenna -1 ..... 28.60  
Distance from keel to top antenna -2 ..... -  
Water ballast capacity ..... 1 656.30  
Fuel main engine - capa.(cbm) ..... 305.00  
Fuel aux engine - capa.(cbm) ..... 26.00  
Speed service, knots ..... 10.50  
Cargo gear ..... No  
Bow thruster ..... 350.Hp. . Yes  
Boxed ..... No  
Double skin ..... Yes  
Open hatch ..... No  
Rhine fitted ..... No  
Ammonium Nitrate fitted ..... Yes  
FeSi fitted ..... Yes

Htch#	a	b	c	d	e	f	g	h	Hold#	Bale		Grain		Hold dimensions	Compartm :		Communication :		Equipment
										cbm	cbft	cbm	cbft		#	cbm	Type	No	
1	6.50	3.25	8.85	1.70	1.23	1.10	33.40 x 12.40	3 x 700mm	1	4006	141 472	4006	141 472	38.40 x 12.40 x 8.85m			Telex 1	420 900 416	Inmarsat
2	6.50	3.25	8.85	1.70	1.23	1.10	31.80 x 12.40	3 x 700mm	2	3809	134 515	3809	134 515	35.20 x 12.40 x 8.85m			Telex 2		
																	Tlph 1	+47 417 84 895	Gsm
																	Tlph 2	+47 976 76 826	
																	Fax		
																	Email	w-malo@gtw.dualog.com	